L Number	Hits	Search Text	DB	Time stamp
1	2	("5802532").PN.	USPAT;	2004/09/02 15:04
			EPO; JPO;	
			DERWENT;	
i			IBM_TDB	
2	2	("4833627").PN.	USPAT;	2004/09/02 15:17
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	2	("6081816").PN.	USPAT;	2004/09/02 15:17
			EPO; JPO;	
	i	·	DERWENT;	
			IBM_TDB	
-	56	(715/519).CCLS.	USPAT;	2004/09/02 14:45
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	10	((715/519).CCLS.) and japan\$3	USPAT;	2004/08/11 13:48
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1594	desktop adj publish\$3	USPAT;	2004/07/26 15:09
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	112	(desktop adj publish\$3) and (character\$1 same separat\$3)	USPAT;	2004/07/26 15:09
			EPO; JPO;	
			DERWENT;	
		(4)	IBM_TDB	0004/07/00 45 44
-	87	((desktop adj publish\$3) and (character\$1 same separat\$3))	USPAT;	2004/07/26 15:11
		and spac\$3	EPO; JPO;	
			DERWENT;	
		((()) (() () () () () () () () () () (IBM_TDB	0004/07/00 45 44
-	8	(((desktop adj publish\$3) and (character\$1 same separat\$3))	USPAT;	2004/07/26 15:11
		and spac\$3) and intercharacter	EPO; JPO;	
			DERWENT;	
		//// L 14	IBM_TDB	0004/07/00 45:44
-	3	((((desktop adj publish\$3) and (character\$1 same	USPAT;	2004/07/26 15:11
		separat\$3)) and spac\$3) and intercharacter) and class\$2	EPO; JPO;	
			DERWENT;	
L			IBM_TDB	

BEST AVAILABLE COPY

-	99	("5868504"	USPAT;	2004/07/28 08:43
		"6092947"	EPO; JPO;	
		"6109798"	DERWENT;	
		"5651619"	IBM_TDB	
		"5980133"		
		"4523294"		
		"6438516"		
1		"5734761"		
		"5182778"		
		"4629341"		
		"4836784"		
		"5374131"		
		"3810197"		
		"4310840"		İ
		"5745600"		
		"5825919"		
		"4329027"		
		"4476464"		
		"4320980"		
		"4329026"		
		"4819018"		
		"5724498"		
		"4162846"		
		"4119977"		
		"4346969"		
}		"4431295"	ļ	
		"4482225"		
		"4591999"		
		"5640466"		
		"6438509"		
	ļ	"6625328"		
		"5185818"		
		"5793381"		
		"4291381"		
		"5230572"		
		RE35562		
		"4529327"		
	i	"4586903"		
		"5003499"		
		"5724596"		
		"4333091" "FF00477"		
		"5526477"		
		"5590260"		
		"5937420"		
	1	"6342890"		
		"3905699"		
		RE29864		
		"4281938"		
		"5609427"		
		"4462702").pn.	LICDAT	2004/08/11 13:01
-	56	(715/519).CCLS.	USPAT;	2004/00/11 13.01
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	((715/519).CCLS.) and class\$2	USPAT;	2004/08/11 13:02
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1_	9	((715/519).CCLS.) and (kerning or tracking)	USPAT;	2004/08/11 13:09
1		((1) 10/0 10). OOLO.) and (Norming of tracking)	EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	l



-	28	kerning and tracking	USPAT;	2004/08/11 13:09
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	(kerning and tracking) and (character adj class\$2)	USPAT;	2004/08/11 13:11
		(· · · · · · · · · · · · · · · · · · ·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	226	sharaster adjulace@?		2004/00/44 42:44
-	236	character adj class\$2	USPAT;	2004/08/11 13:11
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	688377	character near3j class\$2	USPAT;	2004/08/11 13:11
			EPO; JPO;	:
			DERWENT;	
			IBM_TDB	
-	1084	character\$1 near3 class\$2	USPAT;	2004/08/11 13:11
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1_	9	(character\$1 near5 class\$2) same (kerning or tracking or	USPAT;	2004/08/11 13:44
				2004/00/11 [3.44
		intercharacter or (inter adj character))	EPO; JPO;	
			DERWENT;	
	_	(UST 70 400W PL)	IBM_TDB	
-	2	("5778403").PN.	USPAT;	2004/08/11 13:44
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	213	kerning	USPAT;	2004/08/11 13:49
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1_	45	kerning and (UI or (user adj interfac\$3))	USPAT;	2004/08/11 13:49
	10	Reming and (or or (user adjinterracipo))	EPO; JPO;	2004/00/11 13.49
			DERWENT;	
	45	(4) : 1(1) ((5)	IBM_TDB	
-	45	(kerning and (UI or (user adj interfac\$3))) and (set\$5)	USPAT;	2004/08/11 13:50
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	31	(kerning and (UI or (user adj interfac\$3))) and (menu\$1)	USPAT;	2004/08/11 13:51
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	(kerning and (UI or (user adj interfac\$3))) and (popup or	USPAT;	2004/08/11 13:53
	1	(pop adj up))	EPO; JPO;	
		Mr - r Mr / I	DERWENT;	
	1		IBM_TDB	
_	1	"5724596".PN.	USPAT	2004/08/11 13:55
1_	5	digital adj typesetting	USPAT;	2004/08/17 12:37
-	3	uigital auj typesettilig		2004/00/1/ 12:3/
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	56	(715/519).CCLS.	USPAT;	2004/08/17 12:38
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	("I6and(useradjinterfac\$2)").PN.	USPAT;	2004/08/17 12:38
		<u>'</u>	EPO; JPO;	
[DERWENT;	
			IBM TDB	
_	8	((715/519).CCLS.) and (user adj interfac\$2)	USPAT;	2004/08/17 12:59
1		i ((· · · · · · · · · · · · · · · · · ·	EPO; JPO;	200-1100/11 12.09
			DERWENT;	
L			IBM_TDB	

2004/08/17 13:00 CPU				····	
- 21 ((715/519),CCLS.) and (setting\$1)	-	0 1	((715/519).CCLS.) and (basic adj setting\$1)	USPAT;	2004/08/17 13:00
21 ((715/519), CCLS.) and (setting\$1) IBM_TDB USPAT: EPO_JPO; DERWENT; ISM_TDB					
21					
PO, JPO, DERWENT: IBM_TDB 1904/08/17 13:03				IBM_TDB	
- 134 setting\$1 near5 (basic and advance\$1) - 7 (setting\$1 near5 (basic and advance\$1)) and font\$1 USPAT. EPO, JPO, DERWENT. IBM_TDB USPAT. EP	_	21	((715/519),CCLS.) and (setting\$1)	USPAT;	2004/08/17 13:00
DERWENT: IBM_TDB USPAT: EPO_UPO_DERWENT: IBM_TDB USPAT:					
BM_TDB					
134 setting\$1 near5 (basic and advance\$1)					
FPC, JPC, DERWENT, IBM, TDB USPAT, EPC, JPC, DPC, DPC, DPC, DPC, DPC, DPC, DPC, D		134	cotting\$1 near5 (basic and advance\$1)		2004/08/17 13:03
Cerwent BM TDB USPAT EPC, JPC, Derwent BM TDB USPAT EPC, JPC, DPC, DPC, DPC, DPC, DPC, DPC, DPC, D	_	134	Setting thears (basic and advance tr)		2004/00/11 10:00
11 setting\$1 near5 (basic and advance\$1) and font\$1 Setting\$1 near5 (basic near advance\$1) 2004/08/17 13.01 2004/08/1					
11					
Setting\$1 near5 (basic near advance\$1)		_			0004/00/47 40:04
- 11 setting\$1 near5 (basic near advance\$1)	-	'	(setting\$1 near5 (basic and advance\$1)) and font\$1		2004/08/17 13:01
Setting\$1 near5 (basic near advance\$1)					
11 setting\$1 near5 (basic near advance\$1)					
EPO, JPO, DERWENT, IBM_TDB USPAT, EPO, J					
DERWENT; IBM, TDB USPAT; EFO, JPO; DERWENT; IBM, TDB USPAT; ISPO; JPO; DERWENT; ISBM, TDB USPAT; ISPO;	-	11	setting\$1 near5 (basic near advance\$1)		2004/08/17 13:03
BBATB USPAT; EPO; JPO; DERWENT; IBM, TDB USPAT; EPO; JPO; DERWENT; ISM, TDB U			•	EPO; JPO;	
BBATB USPAT; EPO; JPO; DERWENT; IBM, TDB USPAT; EPO; JPO; DERWENT; ISM, TDB U				DERWENT;	
- 637 font\$1 near5 setting\$1 near5 (basic near advance\$1)					
- 637 font\$1 near5 setting\$1	_	0	font\$1 near5 setting\$1 near5 (basic near advance\$1)		2004/08/17 13:04
- 637 font\$1 near5 setting\$1	1		Tonity . Hours somingy . Hours (basis hour advantosy)		
- 637 font\$1 near5 setting\$1 - 29 (font\$1 near5 setting\$1) and (((pull adj down) or pulldown) near5 menu\$1) - 12 ((font\$1 near5 setting\$1) and (((pull adj down) or pulldown) near5 menu\$1)) and ((minimum or maximum or optimal) - 12 ((font\$1 near5 setting\$1) and (((pull adj down) or pulldown) near5 menu\$1)) and ((minimum or maximum or optimal) - 13 (((font\$1 near5 setting\$1) and (((pull adj down) or pulldown) near5 menu\$1)) and (((pull adj down) or pulldown) near5 menu\$1)) and (((minimum or maximum or optimal) near5 menu\$1)) and (((pull adj down) or pulldown) near5 font\$1) - 3161 (((type adj setting) or typesetting) - 27 ((((type adj setting) or typesetting)) and kerning - 28 ((((type adj setting) or typesetting)) and kerning - 357 (((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) - 543 (font\$1 or kerning\$1) same ((graphical or user) near interfac\$3) - 29 ((kerning\$1) same ((graphical or user) near interfac\$3) - 2004/08/18 11:16 - 543 (font\$1 or kerning\$1) same ((graphical or user) near interfac\$3) - 2004/08/18 11:16 - 544 (kerning\$1) same ((graphical or user) near interfac\$3)					
- 29 (font\$1 near5 setting\$1) and (((pull adj down) or pulldown) near5 menu\$1) and (((pull adj down) or pulldown) near5 menu\$1) and (((pull adj down) or pulldown) near5 menu\$1) and (((pull adj down) or pulldown) near5 menu\$1)) and ((((pull adj down) or pulldown) near5 menu\$1)) and ((((pull adj down) or pulldown) near5 menu\$1)) and (((((pull adj down) or pulldown) near5 menu\$1)) and (((((((pull adj down) or pulldown) near5 menu\$1)) and (((((((((((((((((((((((((((((((((((
29 (font\$1 near5 setting\$1) and (((pull adj down) or pulldown) (19		007	5 404		2004/09/47 12:04
- 29 (font\$1 near5 setting\$1) and (((pull adj down) or pulldown) near5 menu\$1) - 12 (((font\$1 near5 setting\$1) and (((pull adj down) or pulldown) near5 menu\$1)) and (((pull adj down) or pulldown) near5 menu\$1) and (((pull adj down) or pulldown) near5 menu\$1 and (((pull adj down) or pulldown) near5 menu\$2 poc pulpo; perwent; lbM_TDB uspAT; lepo; JPo; l	-	637	tont\$1 nears setting\$1		2004/06/17 13.04
29					
- 29 ((font\$1 near5 setting\$1) and (((pull adj down) or pulldown) near5 menu\$1) - 12 (((font\$1 near5 setting\$1) and (((pull adj down) or pulldown) near5 menu\$1)) and ((minimum or maximum or optimal) - 4 (((font\$1 near5 setting\$1) and (((pull adj down) or pulldown) near5 menu\$1)) and (((minimum or maximum or optimal)) - 3161 (((font\$1 near5 setting\$1) and (((pull adj down) or pulldown) near6 menu\$1)) and (((minimum or maximum or optimal)) - 3161 (((type adj setting) or typesetting) - 27 ((((type adj setting) or typesetting)) and kerning - 3161 (((type adj setting) or typesetting)) and kerning - 3161 (((type adj setting) or typesetting)) and kerning - 3161 (((type adj setting) or typesetting)) and kerning - 3161 (((type adj setting) or typesetting) same (((graphical or user) near interfac\$3) - 3161 (((type adj setting) or typesetting) same (((graphical or user) near interfac\$3) - 3161 (((type adj setting) or typesetting) same (((graphical or user) near interfac\$3) - 3161 (((type adj setting) or typesetting) same (((graphical or user) near interfac\$3) - 3161 (((type adj setting) or typesetting) same (((graphical or user) near interfac\$3) - 3161 (((type adj setting) or typesetting) same (((graphical or user) near interfac\$3) - 3161 (((type adj setting) or typesetting) same (((graphical or user) near interfac\$3) - 3161 (((type adj setting) or typesetting) same (((graphical or user) near interfac\$3) - 3161 (((type adj setting) or typesetting) same (((graphical or user) near interfac\$3) - 3161 ((((type adj setting) or typesetting) same (((graphical or user) near interfac\$3) - 3161 (((type adj setting) or typesetting) same (((graphical or user) near interfac\$3) - 3161 (((type adj setting) or typesetting) same (((graphical or user) near interfac\$3) - 3161 (((type adj setting) or typesetting) same (((graphical or user) near interfac\$3) - 3161 (((type adj setting) or typesetting) same (((graphical or user) near interfac\$3) - 3161 (((type adj setting) or typesetting) same (((graphical or user) near i					
12					
- 12 ((font\$1 near5 setting\$1) and (((pull adj down) or pulldown) near5 menu\$1)) and (minimum or maximum or optimal) ((font\$1 near5 setting\$1) and (((pull adj down) or pulldown) near5 menu\$1)) and ((minimum or maximum or optimal) ((font\$1 near5 setting\$1) and (((pull adj down) or pulldown) near5 font\$1) (((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) (((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) (((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) (((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) (((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) (((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) (((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) (((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) (((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) (((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) (((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) (((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) (((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) (((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) (((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) (((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) (((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) (((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) (((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) (((type adj setting) or typesetting)	-	29	(font\$1 near5 setting\$1) and (((pull adj down) or pulldown)		2004/08/17 13:10
12			near5 menu\$1)	EPO; JPO;	
12				DERWENT;	
12		_		IBM TDB	
Po	_	12	((font\$1 near5 setting\$1) and (((pull adi down) or pulldown)		2004/08/17 13:11
Condition Cond		· -			
15			Thomas management of management of spanning		
- 3161 ((type adj setting) or typesetting) - 27 (((type adj setting) or typesetting) and kerning - 15 ((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) - 557 ((type adj setting) or typesetting or font\$1) same ((graphical or user) near interfac\$3) - 543 (font\$1 or kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) - 3 (font\$1 or kerning\$1) same ((graphical or user) near interfac\$3) - 3 (kerning\$1) same ((graphical or user) near interfac\$3) - 4 (kerning\$1) same ((graphical or user) near interfac\$3) - 5 (kerning\$1) same ((graphical or user) near interfac\$3) - 5 (kerning\$1) same ((graphical or user) near interfac\$3) - 5 (kerning\$1) same ((graphical or user) near interfac\$3) - 5 (kerning\$1) same ((graphical or user) near interfac\$3)					İ
Near5 menu\$1)) and ((minimum or maximum or optimal) Near5 font\$1) Near5 font\$1] Near5		۱ ۸	(/fant\$1 near5 cotting\$1) and (//pull adj down) or pulldown)		2004/08/17 13:12
near5 font\$1) DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB USPA	-	"	nearE manu [©] 1\) and //minimum or maximum or ontimal\		200 17007 17 10:12
BM_TDB					
- 27 (((type adj setting) or typesetting) - 27 (((type adj setting) or typesetting)) and kerning - 27 (((type adj setting) or typesetting)) and kerning - 3161 ((type adj setting) or typesetting)) and kerning - 3161 ((type adj setting) or typesetting)) and kerning - 3161 ((type adj setting) or typesetting)) and kerning - 3161 ((type adj setting) or typesetting)) and kerning - 3161 ((type adj setting) or typesetting)) and kerning - 3161 ((type adj setting)) or typesetting) - 3161 ((type adj setting) or typesetting) - 3161 ((type adj setting)) or typesetting) - 3161 ((type adj setting) or typesetting			nearo tonto ()		
EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT, IBM_TDB USPAT; EPO; JPO; DERWENT, IBM_TDB USPAT; EPO; JPO; DERWENT, IBM_TDB USPAT; EPO; JPO; DERWENT, IBM_TDB USPAT; EPO; JPO; DERWENT, IBM_TDB USPAT; EPO; JPO; DERWENT, IBM_TDB USPAT; EPO; JPO; DERWENT, IBM_TDB USPAT; EPO; JPO; DERWENT, IBM_TDB USPAT; EPO; JPO; DERWENT, IBM_TDB USPAT; EPO; JPO; DERWENT, IBM_TDB USPAT; EPO; JPO; DERWENT, IBM_TDB USPAT; EPO; JPO; DERWENT, IBM_TDB USPAT; EPO; JPO; DERWENT, IBM_TDB USPAT; EPO; JPO; DERWENT, IBM_TDB USPAT; EPO; JPO; DERWENT, IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB			L.,		0004/00/40 44:40
- 27 (((type adj setting) or typesetting)) and kerning	-	3161	((type adj setting) or typesetting)		2004/06/16 11.12
- 27 (((type adj setting) or typesetting)) and kerning					
- 27 (((type adj setting) or typesetting)) and kerning USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DE					
EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; INTERFAC\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3)					
- 15 ((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) - 557 ((type adj setting) or typesetting or font\$1) same ((graphical or user) near interfac\$3) - 557 ((type adj setting) or typesetting or font\$1) same ((graphical or user) near interfac\$3) - 543 (font\$1 or kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) - (kerning\$1) same ((graphical or user) near interfac\$3) - (kerning\$1) same ((graphical or user) near interfac\$3) - (kerning\$1) same ((graphical or user) near interfac\$3)	-	27	(((type adj setting) or typesetting)) and kerning		2004/08/18 11:12
- 15 ((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) - 557 ((type adj setting) or typesetting or font\$1) same ((graphical or user) near interfac\$3) - 543 (font\$1 or kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) - 3 (font\$1 or kerning\$1) same ((graphical or user) near interfac\$3) - 4 (kerning\$1) same ((graphical or user) near interfac\$3)		1			
15 ((type adj setting) or typesetting) same ((graphical or user) USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT					
- 15 ((type adj setting) or typesetting) same ((graphical or user) near interfac\$3) - 557 ((type adj setting) or typesetting or font\$1) same ((graphical or user) near interfac\$3) - 557 ((type adj setting) or typesetting or font\$1) same ((graphical or user) near interfac\$3) - 543 (font\$1 or kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3)				IBM_TDB	
near interfac\$3) - 557 ((type adj setting) or typesetting or font\$1) same ((graphical or user) near interfac\$3) - 543 (font\$1 or kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3)	-	15	((type adj setting) or typesetting) same ((graphical or user)		2004/08/18 11:19
- 557 ((type adj setting) or typesetting or font\$1) same ((graphical or user) near interfac\$3) - 543 (font\$1 or kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) - DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT;					
- 557 ((type adj setting) or typesetting or font\$1) same ((graphical or user) near interfac\$3) - 543 (font\$1 or kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) (kerning\$1) same ((graphical or user) near interfac\$3) 18M_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;					
- 557 ((type adj setting) or typesetting or font\$1) same ((graphical or user) near interfac\$3) - 543 (font\$1 or kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) (kerning\$1) same ((graphical or user) near interfac\$3) USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT;		1			
- 543 (font\$1 or kerning\$1) same ((graphical or user) near USPAT; IBM_TDB USPAT;		557	((type adj setting) or typesetting or font\$1) same ((granhical		2004/08/18 11:16
- 2 (font\$1 or kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; DERWENT; EPO; JPO; DERWENT; D	_	337			250 1/05/10 11:10
- 2 (font\$1 or kerning\$1) same ((graphical or user) near interfac\$3) - 2 (kerning\$1) same ((graphical or user) near interfac\$3) BM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; DERWENT; EPO; JPO; EPO; EPO; EPO; EPO; EPO; EP			or user) fiear filterracys)		
- 2 (font\$1 or kerning\$1) same ((graphical or user) near interfac\$3) (kerning\$1) same ((graphical or user) near interfac\$3) (kerning\$1) same ((graphical or user) near interfac\$3) USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT;					
interfac\$3) EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT;		540	(fant@d as kerning@d) come ((granhical as year) near		2004/08/49 11:16
- 2 (kerning\$1) same ((graphical or user) near interfac\$3) DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	-	543			2004/00/10 11.10
- 2 (kerning\$1) same ((graphical or user) near interfac\$3) IBM_TDB USPAT; EPO; JPO; DERWENT;			іптепасъз)		
- 2 (kerning\$1) same ((graphical or user) near interfac\$3) USPAT; 2004/08/18 11:16 EPO; JPO; DERWENT;					
EPO; JPO; DERWENT;	1	- A			0004/00/40 44 45
DERWENT;	-	2	(kerning\$1) same ((graphical or user) near interfac\$3)		2004/08/18 11:16
			DI STATE OF THE ST		P
IBM_TDB					
		-		IBM_TDB	10111



	182	((type adj setting) or typesetting) and ((graphical or user)	USPAT;	2004/08/18 11:19
-	102	((type adj setting) of typesetting) and ((graphical of user) near interfac\$3)	EPO; JPO;	_55 55, 15 11.15
		ποι πιοπαόψο <i>ן</i> 	DERWENT;	
			IBM_TDB	
	3	(((type adj setting) or typesetting) and ((graphical or user)	USPAT;	2004/08/18 11:27
-	٥	near interfac\$3)) and kerning	EPO; JPO;	200-700/10 11.27
		near interrace()) and kerning	DERWENT;	
			IBM_TDB	
		(IIA504000II)		2004/08/18 11:27
-	2	("4591999").PN.	USPAT;	2004/00/10 11.27
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0004/00/40 44:07
-	2	("4291381").PN.	USPAT;	2004/08/18 11:27
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("4932345").PN.	USPAT;	2004/08/18 11:28
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("5399029").PN.	USPAT;	2004/08/18 11:28
	1	,	EPO, JPO,	
			DERWENT	
	1		IBM_TDB	
_	2	("5432890").PN.	USPAT;	2004/08/18 11:39
	_	(0.02000)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	12	kerning same tracking	USPAT;	2004/08/18 11:46
-	12	Retilling same tracking	EPO; JPO;	200 1100110 111.10
			DERWENT;	
			IBM_TDB	
	125	fort©1 poor odit©2	USPAT;	2004/08/18 11:46
-	135	font\$1 near edit\$3		2004/00/10 11.40
			EPO; JPO;	
			DERWENT;	
		(!! 4000007!!) DA	IBM_TDB	2004/00/40 42:25
-	2	("4833627").PN.	USPAT;	2004/08/18 12:35
			EPO; JPO;	
			DERWENT;	
	_	(I) 4000007II) PAL	IBM_TDB	0004/00/04 40:54
-	2	("4833627").PN.	USPAT;	2004/09/01 10:51
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("5802532").PN.	USPAT;	2004/09/01 11:16
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	56	(715/519).CCLS.	USPAT;	2004/09/01 11:16
			EPO; JPO;	
			DERWENT;]
			IBM_TDB	
-	0	("I3and(menu\$1ordialog\$1or(popup\$1or(popadjup\$1)))").PN.	USPAT;	2004/09/01 11:17
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	7	((715/519).CCLS.) and (menu\$1 or dialog\$1 or (popup\$1 or	USPAT;	2004/09/01 11:17
	1	((7)5/313).6626.) and (mends 1 of dialogs 1 of (popular of dialogs 1 of	EPO; JPO;	= 22 = 2
		(hob and ahm 1/1/	DERWENT;	
			IBM_TDB	
	1		I DIAI I DID	L